

REVISED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 May 2002 (10.05.2002)

PCT

(10) International Publication Number
WO 02/037390 A2

(51) International Patent Classification⁷: G06F 17/60

(21) International Application Number: PCT/US01/45715

(22) International Filing Date: 30 October 2001 (30.10.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/244,311 30 October 2000 (30.10.2000) US

(71) Applicant: LIQUIDITY DIRECT [US/US]; 141 W.
Jackson Blvd., Suite 1771, Chicago, IL (US).

(72) Inventors: BRADY, Neal; 705 Custer Avenue, Evanston,
IL 60201 (US). CAREY, Noah; 2109 Central Park,
Evanston, IL 60201 (US). ERWIN, Bill; 910 N. Lakeshore
Drive, Apt. 1817, Chicago, IL 60611 (US). GILMORE,
John; 8 Longwood Drive, Burr Ridge, IL 60657 (US).
QUATTROCKI, Michael; 614 Barry, Apt. 3, Chicago, IL
60657 (US). STONE, Frank; 824 W. Oakdale, Chicago,
IL 60657 (US). THORNBURGH, Mark; 420 St. An-
drews Ct., West Chicago, IL 60185 (US).

(74) Agent: IRVINE, Robert, J.; McDonnell Boehnen Hulbert
& Berghoff, 300 South Wacker Drive, Suite 3200, Chicago,
IL 60606 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,
SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA,
ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
TG).

Published:

— with declaration under Article 17(2)(a); without abstract;
title not checked by the International Searching Authority

(48) Date of publication of this revised version:

1 August 2002

(15) Information about Correction:

see PCT Gazette No. 31/2002 of 1 August 2002, Section II

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: NETWORK AND METHOD FOR TRADING DERIVATIVES

(57) Abstract:

BEST AVAILABLE COPY

WO 02/037390 A2

PATENT COOPERATION TREATY

PCT

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT

(PCT Article 17(2)(a), Rules 13ter.1(c) and Rule 39)

Applicant's or agent's file reference MBHB00-1153	IMPORTANT DECLARATION	Date of mailing(day/month/year) 20/05/2002
International application No. PCT/US 01/ 45715	International filing date(day/month/year) 30/10/2001	(Earliest) Priority date(day/month/year) 30/10/2000
International Patent Classification (IPC) or both national classification and IPC G06F17/60		
Applicant LIQUIDITY DIRECT		

This International Searching Authority hereby declares, according to Article 17(2)(a), that no international search report will be established on the international application for the reasons indicated below

1. ☒ The subject matter of the international application relates to:
 - a. ☐ scientific theories.
 - b. ☐ mathematical theories
 - c. ☐ plant varieties.
 - d. ☐ animal varieties.
 - e. ☐ essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes.
 - f. ☐ schemes, rules or methods of doing business.
 - g. ☐ schemes, rules or methods of performing purely mental acts.
 - h. ☐ schemes, rules or methods of playing games.
 - i. ☐ methods for treatment of the human body by surgery or therapy.
 - j. ☐ methods for treatment of the animal body by surgery or therapy.
 - k. ☐ diagnostic methods practised on the human or animal body.
 - l. ☐ mere presentations of information.
 - m. ☐ computer programs for which this International Searching Authority is not equipped to search prior art.

2. ☒ The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:

☐ the description
☒ the claims
☐ the drawings

3. ☐ The failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions prevents a meaningful search from being carried out:

☐ the written form has not been furnished or does not comply with the standard.
☐ the computer readable form has not been furnished or does not comply with the standard.

4. Further comments: See additional sheet for details.

Name and mailing address of the International Searching Authority European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Mark Quinn
--	---

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The claims relate to subject matter for which no search is required according to Rule 39 PCT. Given that the claims are formulated in terms of such subject matter or merely specify commonplace features relating to its technological implementation, the search examiner could not establish any technical problem which might potentially have required an inventive step to overcome. Hence it was not possible to carry out a meaningful search into the state of the art (Art. 17(2)(a)(i) and (ii) PCT; see EPC Guidelines Part B Chapter VIII, 1-6).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

THIS PAGE BLANK (USPTO)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 May 2002 (10.05.2002)

PCT

(10) International Publication Number
WO 02/37390 A2

(51) International Patent Classification⁷: **G06F 17/60**

(21) International Application Number: PCT/US01/45715

(22) International Filing Date: 30 October 2001 (30.10.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/244,311 30 October 2000 (30.10.2000) US

(71) Applicant: **LIQUIDITY DIRECT** [US/US]; 141 W. Jackson Blvd., Suite 1771, Chicago, IL (US).

(72) Inventors: **BRADY, Neal**; 705 Custer Avenue, Evanston, IL 60201 (US). **CAREY, Noah**; 2109 Central Park, Evanston, IL 60201 (US). **ERWIN, Bill**; 910 N. Lakeshore Drive, Apt. 1817, Chicago, IL 60611 (US). **GILMORE, John**; 8 Longwood Drive, Burr Ridge, IL 60657 (US). **QUATTROCKI, Michael**; 614 Barry, Apt. 3, Chicago, IL 60657 (US). **STONE, Frank**; 824 W. Oakdale, Chicago,

IL 60657 (US). **THORNBURGH, Mark**; 420 St. Andrews Ct., West Chicago, IL 60185 (US).


(74) Agent: **IRVINE, Robert, J.**; McDonnell Boehnen Hulbert & Berghoff, 300 South Wacker Drive, Suite 3200, Chicago, IL 60606 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: NETWORK AND METHOD FOR TRADING DERIVATIVES



(57) Abstract: A computer network and method for electronically trading derivatives. The system includes network and methods where a control or network managing station in the network acts as a facilitator for the markers and subscribers to make a trade at an Exchange. In another embodiment the network managing station consummates the trade between a market maker and subscriber by matching binding quotes and orders and clears the trade at an Exchange. The computer network for electronically trading derivative: (a) network managing station; (b) one or more market maker station; (c) one or more subscriber stations; (d) one or more Exchanges. The network managing station connects market makers and subscribers for making real time indicative quotes, issuing request for quotes, obtaining binding quotes and wherein the market marker and subscriber are in communication with an Exchange for sending binding quotes and orders to the Exchange for clearing and confirming transactions.

WO 02/37390 A2



Published:

— without international search report and to be republished
upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Network and Method for Trading Derivatives

FIELD OF THE INVENTION

The invention is in the field of electronically trading derivatives.

BACKGROUND OF THE INVENTION

Electronic trading is revolutionizing the futures industry. For example, future
5 contracts in Europe are 100% electronically traded. Trading of futures contracts in
the United States will almost certainly be done electronically in the very near future.
Five weeks after launch of the a/c/e electronic platform at the Chicago Board of Trade
Exchange (CBOT) 25% of financial futures trades were made electronically. The
rapid growth of electronic trading is further illustrated by the fact that the German-
10 Swiss Exchange (EUREX) founded in 1990 has surpassed the CBOT as the leader in
futures trading.

There are substantial limitations of current 'mainframe' electronic trading
systems. Designed more than a decade ago, electronic futures trading platforms are
based on rigid, outdated 'mainframe' architecture. All message traffic passes through
15 centralized Exchange servers. Communication is 'one-to-all' and 'all-to-one', i.e.
every price update triggers thousands of messages. Users are unable to flexibly
query the market for indicative quotes for 'wholesale' orders or customized spread
combinations. While 'mainframe' architecture works for futures trading with a
single price point, it fails completely in markets that are 'relational', i.e. every price is
20 linked to other - or hundreds of other - prices. This problem is illustrated by the
relationship of E-futures, E-options and E-spreads.

Outright E-Futures have a single price point. As the futures price changes,
traders cancel, modify and replace single orders. This is illustrated in Table I.

25

TABLE I

30-Year Bond Futures Book
Contract - December 2000

5

BIDS		ASKS	
<u>Quantity</u>	<u>Price</u>	<u>Price</u>	<u>Quantity</u>
350	98.21	98.22	220
250	98.20	98.23	150
300	98.19	98.25	400

Options involve puts and calls and combinations of puts and calls and/or futures, as well as straddles, strangles, butterflies, strips, etc. all of which result in thousands of price points being linked to each future. Thus, as the underlying futures price moves, thousands of price updates are needed. This is illustrated in Table II.

10

TABLE II

30-Year Bond Options Book
Contract - December 2000

<u>Instrument</u>	<u>Strike</u>	BIDS		ASKS	
		<u>Quantity</u>	<u>Price</u>	<u>Price</u>	<u>Quantity</u>
Call	9800	200	130	136	100
Call	9900	150	55	63	50
Put	9800	50	47	52	250
Put	9700	175	28	31	300
Straddle	9600-1000	200	55	58	150
Call Spread	9800-1000	250	25	26	50

15

There are few 'real' prices displayed for options and spreads on electronic screens because market makers cannot make tight markets across numerous price points. As the futures price moves, 'stale' options and spread prices remain exposed to the market.

20

E-Options and E-Spreads require a blend of indicative and binding quotes. On a trading floor a trader has only one voice but quotes across hundreds of options and spreads. A trader makes continuous indicative quotes issuing hand held sheets

with a grid of theoretical values. At the moment of trade, the indicative quote is 'refreshed' and becomes binding.

Current electronic options and spread markets have significant disadvantages. In the United States, despite the rapid growth of electronic futures, there is no real volume in electronic options and spreads. These markets still trade on the floor. In Europe, where futures markets are 100% electronic, price discovery in options and spreads takes place manually in an informal "cash" phone market. The European 'phone market' is widely disliked by all participants except the "cash" brokers who charge commissions to both sides of a trade. European options screens do not show 'real' prices. End users complain of the lack of transparency (only the "cash" brokers know the real bids and offers) and the inability of end users to verify that orders have received 'best execution' treatment. Users and market makers also do not like the high cost of "cash" brokerage. Brokerage costs for market makers are passed on to users in the form of wider bid – ask spreads. Exchanges, regulators and end users are concerned by the counterparty risk inherent to the system. Finally, market integrity rests on the performance guarantees of unregulated, thinly capitalized "cash" brokers.

U.S. Patent 6,016,483 describes a computer-based system for determining a set of opening prices for options traded on an options exchange and for allocating public order imbalances at the opening of trade. This patent is incorporated by reference in its entirety.

BRIEF DESCRIPTION OF THE FIGURES

- Figure 1 is a schematic of the overall network (LD network);
- Figures 2A and 2B are flow diagrams of the interaction on the network of the market makers and a subscriber;
- 5 Figure 3A is a schematic of a computer screen seen by a subscriber;
- Figure 3B illustrates the subscriber's query selection screen;
- Figure 3C illustrates a subscriber order ticket screen;
- Figures 4A, 4B and 4C illustrate the market maker control screens;
- Figure 5A illustrates an individual market maker's indicative quotes and the best LD
- 10 indicative quote; and,
- Figures 5B and 5C illustrate embodiments of the market maker's binding quote ticket.

SUMMARY OF THE INVENTION

The invention is directed to a computer network and method for electronically trading derivatives. The invention includes networks and methods where a control or network managing station in the network acts as a facilitator for the market makers and subscribers to make a trade at an Exchange. In another embodiment the network managing station consummates the trade between a market maker and a subscriber by matching binding quotes and orders and clears the trade at an Exchange. The computer network for electronically trading derivative comprises: (a) network managing station; (b) one or more market maker stations; (c) one or more subscriber stations; (d) one or more Exchanges.

The network managing station connects market makers and subscribers for making real time indicative quotes, issuing requests for quotes, obtaining binding quotes and wherein the market maker and subscriber are in communication with an Exchange for sending binding quotes and orders to the Exchange for clearing and confirming transactions.

The method and network of the present invention provides for continuous quotes on the user's desktop that are backed up by significant liquidity. Numerous markets can be quoted simultaneously and users can make custom inquiries. The best price is guaranteed because the executed order matches the best price in the Exchange. The method and apparatus described herein enables liquid and efficient electronic trading of exchange listed products, thereby reducing risks associated with alternative over the counter mechanisms. That is, the system provides both the flexibility inherent in over-the-counter (OTC) trading and the reduced risk of Exchange matching and/or clearing. The system is unexpectedly advantageous in that it integrates, in real-time, market makers' indicative and binding quotes.

DETAILED DESCRIPTION OF THE INVENTION

Figure 1 illustrates the network and interactions of market maker, subscriber, network manager and Exchanges. MM1, MM2, MM3, and MM4 are market maker servers that provide indicative and binding quotes. Sub 1, Sub 2, Sub 3 and Sub 4 are subscriber stations through which subscribers query indicative quotes, request binding quotes, and send orders to Exchanges such as the CBOT, CME and Eurex. LD is a network managing station that provides a directory of participants receiving or providing quotes. The network manager in one embodiment facilitates trading between subscribers and market makers who submit binding quotes and orders to an Exchange for clearance. In another embodiment, the network manager (LD) or control station may match the binding quotes and orders and send them to an Exchange for clearance. Through this network, market makers, subscribers, Exchanges and the network managing station can electronically communicate with each other. Subscribers can directly and flexibly query market makers' databases. The network minimizes traffic that passes through centralized servers and therefore has a high capacity. Messaging traffic of price updating is thereby reduced by limiting quote traffic to interested parties who query specific contracts and/or contract combinations.

A subscriber station (Sub 1, Sub 2, Sub 3 and Sub 4 of Fig. 1) has hardware and software to query indicative quotes, request binding quotes, and send orders to Exchanges. In one embodiment, the subscriber station consists of a Windows-based PC running an application that allows users to login, select symbols, and receive quotes for those symbols. Other embodiments include hand held computing devices that run the applications. Alternatively, the hand-held device acts as a wireless data terminal that communicates with the PC running the applications. As one of ordinary skill can appreciate, further alternatives hardware and software arrangements include hand-held devices and PC workstations, wherein the software functionality is appropriately divided between the two devices.

In another embodiment, the subscriber station is a gateway application connecting a subscriber's internal network to the network also referred to as the (LD) network. In this case, the functions of the subscriber station are controlled by other applications running throughout the subscriber's internal network. These applications may be trading front-ends or trading programs that the subscriber wishes to use to access the LD network. In this case, the LD subscriber gateway provides a protocol

for passing messages between the networks. These messages include querying indicative quotes, quote updates, requesting binding quotes, and routing orders.

Figure 3A illustrates an example of the Market Overview screen that displays indicative quotes for symbols and combinations of symbols as well as binding quotes in the Exchange order book. The CBT Bid/CBT Ask columns display the current best bid/ask price and quantity in the a/c/e electronic order book. The LD Bid/Ask columns display the best indicative bid/ask, size, and volatility from the market makers on the LD network. The screen of Figure 3A displays real time price updates for symbols selected by the user via selection screen of Figure 3B.

Figure 3B is an example of the screen that allows the user to select symbols and combinations of symbols for which quotes will be requested. The selected symbols and the corresponding requests for indicative quotes provide an "indication of interest" or IOI to the market makers. Symbol Selection is performed as follows: highlight a symbol in the left column and use the button to move it to the view list, thereby making it an active symbol. Double-clicking a symbol also makes it active. Preferably, typing a value in the 'Symbol List Filter' box limits the content of the list – for example, typing 'OZB V1' displays the available thirty-year October options.

Selecting a spread is performed by highlighting a spread in the right column and then using the button to make it active. Double-clicking a spread also makes it active. The three drop-down boxes in the center filter the list of spreads by product, month, and Call or Put. The spreads can also be filtered by selecting the spread type from the drop-down over the right column.

Removing an item from the view list is done by double-clicking an item in the view list or highlighting the item and using the 'remove' button. Ordering the display is done with the 'sort' button, which causes the items in the view list to be sorted by symbol, expiration date, and strike. Individual symbols can be selected and moved up and down using 'up' and down.

Depending upon the hardware, software, and network conditions, the subscriber station may actively query market makers for updated quotes (every second, for instance, or when the underlying price moves). In other circumstances, the subscriber station receives quote updates in real-time (i.e. 'pushed' by the market makers).

In one embodiment, when a user wishes to enter an order against one of the indicative quotes, double clicking the symbol pulls up an order entry window as

shown in Figure 3D (or Figure 3E in the case of a straddle). Pressing the "sell now" button simultaneously informs the appropriate market maker of the request for a binding quote and submits the corresponding order to the exchange.

In yet another embodiment, the invention provides for unilateral communication in accordance with CFTC rules between subscribers and market makers for the submission of binding quotes and orders as a result of the unilateral communication. For example, a subscriber may receive an indicative quote from a market maker and respond by sending a request for quote (RFQ) to an Exchange, alerting all market participants of the RFQ. Thus, the market maker receives an RFQ from a subscriber at the same time the RFQ is received by other market participants. The market maker may immediately enter a binding quote at the Exchange and the subscriber may immediately enter an order at the Exchange.

In a further embodiment, the process of entering an order and trading with the LD network is a two-step process. The user first enters an RFQ that is sent to the LD market makers as well as to the Exchange (e.g., a/c/e, which is the CBOT electronic trading platform). After market makers enter their quotes into a/c/e, the user enters an order to match against the best bid (or ask) in the a/c/e book.

Thus when a user wishes to enter an order against one of the indicative quotes, the user preferably double-clicks the symbol (or by clicking on the bid or the ask price) in the display of Figure 3A to activate a Request For Quote (RFQ) window as shown in Figure 3C. The quantity may be left blank, or a value may be specified. Clicking send button sends the RFC simultaneously to the Exchanges, which effectively may result in sending the RFC to 30,000 terminals, and also sends the RFC to the LD network to the LD market makers. The RFC sent to the exchange preferably conforms to existing RFC exchange formats and would typically include only the contract of interest. In contrast, the RFC sent to the LD market makers preferably includes the contract of interest, the indicated price and the indicated quantity. Alternatively, the LD RFQ may also include additional parameters such as what side the requested quote is for (buy/sell). Upon sending the RFQ, the RFQ window of Figure 3C is replaced with the Order Entry Screen of Figure 3D (or Figure 3E in the case of a straddle).

The order ticket shown in Figure 3D allows the subscriber to change the quantity, price, and buy/sell. The subscriber can also select the appropriate account from a drop down list. After confirming the details, the order may be submitted.

Preferably, the subscriber awaits an indication from the market maker that a binding quote has been submitted prior to submitting the order. This indication appears in the "CBT Bid" and/or "CBT Ask" fields of the Order Entry screen shown in Figure 3D (or Figure 3E). Such indication that a binding quote has been submitted is an advantageous feature of the system described herein.

Specifically, the market maker station preferably displays the quote entry screen of Figure 5B in response to the receipt of an LD RFQ sent by the subscriber. Figure 5C depicts an alternative quote entry screen. The quote entry screen, upon display, has been "loaded" or preprocessed to incorporate data from the market maker's indicative quote, including the price and depth (volume of contracts). In a further preferred embodiment, the loaded ticket may incorporate updated quote data based on more recent market data (such as changes to the price of the underlying instrument, or volatility). The quote entry screen thereby facilitates the market maker's entry of a binding quote in accordance with the market maker's indicative quote or an updated quote. Upon the market maker's submission of the quote and its receipt by the exchange, the subscriber's order entry ticket of Figure 3D (or Figure 3E) will be updated to reflect the binding quote data. The subscriber can then decide whether to submit the order after having evaluated the specific values (i.e., bid/ask and volume) associated with the binding quote. Preferably, all LD orders are IOC (Immediate or Cancel) or FOK (Fill or Kill). This means orders will either execute or cancel, and orders will not post to the book.

Figures 2A and 2B illustrate the interaction of the parties through the network by way of flow diagrams 200 and 250. Market makers, for example at station MM2 and MM4 of Figure 1, connect to the network managing station (LD) to indicate quotable markets; At step 210, Subscriber station, e.g. Sub 3, provides an indication of interest by querying the network managing station for specific trading products and receives the address of market makers, for example, MM2 and MM4, and requests and receives indicative quotes. If the network managing station LD pushes a new futures price, this may be used to trigger Subscriber Sub 3 to query for updated quotes from market makers MM2 and MM3. As discussed above, other triggering devices may be used to cause subscribers to request updated quotes. For example, quotes may be requested at periodic intervals. The period may be a predefined period set by the subscriber, or may be adjusted up (or down) automatically in response to various other factors. Typical factors may include high (low) volume, high (low) volatility, or

even an indication from the subscriber that an RFQ and/or order may be imminent. This indication may be by way of a screen activated button or similar subscriber input.

At step 210 in the process, a subscriber such as Sub 3 issues a request for quote (RFQ). The subscriber may then selectively submit an order in step 240, or preferably, may first await the completion of the optional step 230, which is the receipt of an indication that the market maker has submitted a binding quote.

With respect to Figure 2B, the market maker's involvement is depicted in flow diagram 250. At step 260, the market maker receives an indication of interest from a subscriber and responds by providing one or more indicative quotes. Upon receipt of an RFQ, which is interpreted as a request for a binding quote in step 270, the market makers, for example MM3 and MM4, may respond by selectively sending a binding quote to an Exchange, or directly to the LD. In this way the network provides for electronic communication between market maker, subscriber and Exchanges with the assistance of a network managing station LD so that a subscriber can query market maker, initiation indications to trade, receive responses to indications to trade, issue binding quotes and forward binding quotes to an Exchange. The subscriber can send orders to an Exchange that can be electronically matched and cleared by an Exchange. In the alternative, the network managing station may match binding quotes and orders and clear the trades at an Exchange.

As discussed above, requests for binding quotes result in an updated bid/ask quote being sent to the Exchange. During this process, trading parameters under the control of the market maker are accessed to ensure that trading remains under the control of the market maker. In certain circumstances, the market maker may decline to submit a binding quote, or may change his quote from that displayed on the subscriber screen as indicative.

Specifically, a market maker station preferably has hardware and software to provide indicative quotes for subscribers and binding quotes to be sent to Exchanges. The options' theoretical values from which the quotes are derived are calculated using industry standard algorithms, namely the Black-Scholes Model and for certain instruments the American Whaley Model. Components of the quote are the bid price, bid quantity, ask price, and ask quantity. Additionally, the market maker calculates two sets of prices, one with a narrow spread (or range between the bid and ask), and one with a wider spread. This allows the market maker to switch between narrow and

wide spreads during the trading day in response to market activity. Bid price and ask price are determined by decreasing (for bid) and increasing (for ask) the theoretical value by a variable amount that depends on various risk parameters, as follows:

5 N and W are parameters maintained by the market maker to determine the narrow and wide spread values; FV is the fair value of the option as calculated by the above-mentioned standard pricing models; V is Vega, a measure of the rate of change in an option's theoretical value for a one-unit change in the volatility of the underlying. Vega is an output of the standard pricing models.

Then, the bid and ask prices for the quote (B, A) are calculated as follows:

$$\begin{aligned}
 10 \quad & \frac{B(\text{narrow})}{B(\text{wide})} = \frac{FV - V*N}{FV - V*W} \\
 & A(\text{narrow}) = FV + V*N \\
 & A(\text{wide}) = FV + V*W
 \end{aligned}$$

15 Quantity for the quote is calculated by taking four variables maintained by the market maker for each options month and using the Delta and Vega of the individual option symbol to calculate the quantity across the range of options strike prices, as follows:

$$Q = \max [Q_{\min}, \min[Q_{\max}, D_{\max} \div D, V_{\max} \div V]],$$

20 where Q_{\min} is the minimum quantity, maintained by the market maker; Q_{\max} is the maximum absolute quantity, maintained by the market maker; D_{\max} is the maximum quantity in terms of aggregate Delta, maintained by the market maker; V_{\max} is the maximum quantity in terms of aggregate Vega, maintained by the market maker; D is Delta, a measure of the rate of change in an option's theoretical value for a one-unit change in the price of the underlying security, and is an output of the standard pricing models; and, V is Vega, as defined above.

In one embodiment, the market maker station consists of a database containing pricing data from which quotes (both indicative and binding) are determined in response to a subscriber request. The parameters of this database are controlled by screens similar to Figures 4A, 4B and 4C.

30 The market maker generates a matrix of bid and ask prices and quantities at different volatilities and underlying prices that cover the expected short-term movement of the market. This matrix is accessed to provide indicative quotes, based on the current volatility (as controlled by the market maker) and the underlying price

(usually provided by the appropriate Exchange in a data feed). Market makers 'tweak' their bids and asks by changing their volatility levels. They can also pull (revoke) their quotes, either individually or by product, as well as send in new arrays at any time.

5 The "Sheets" screen of Figure 4A allows the market maker to calculate implied volatilities, Bid, Fair and Ask values and the Quantity, given a few inputs. The market maker may select an option from the drop-down box in the upper left corner (Future and Days Left boxes fill in automatically once option is chosen). To plot a new curve, the market maker enters strikes and prices for the option chosen.

10 The table at the top of the Sheets window is used to enter strikes in decimal format. Corresponding prices are entered using tick format. The put price is used for the ATM strike. Other fields for the option chosen are entered. The slope is defined as $(\text{change in implied volatility})/(\text{change in strike})$; .15 is a typical starting value for Call Slope and Put Slope which determine the curve's shape in the wings.

15 The market maker enters the Interest Rate, Futures (price in tick format) and Date, which can be any date as long as the entries made for strikes, prices and call/put slopes correspond to this date. The entries for the Display Quantity and Bid/Ask Spread fields (to be associated with the *second* Date) are completed, as well as the Min and Max Contracts. This will be used to limit the quantities shown on the Sheets

20 screen and the Tweak screen of Figure 4B. (Example: 100 Min and 500 Max will keep quantities between 100 and 500 regardless of quantity multiplier).

 The market maker enters (in decimal format as a fraction of a tick) the width of the preferred bid/ask spread. Vega preferably does not affect this calculation. (For example, entering .25 is a quarter tick above/below fair value for Bid/Ask). The

25 market maker then enters (in ticks) the Max Ticks and Min Ticks allowed as the difference between the bid and the ask. The *second* Date, Future Bid and Future Ask (prices in tick format) are entered for which desired calculations are made in the large table below the graph. Then, the market maker selects Narrow or Wide to choose from the two sets of Bid/Ask Spread values that have been entered.

30 Finally, the market maker selects the "Calculate" button, resulting in new calculated values being entered in the large table. The Call Slope and Put Slope may be adjusted as necessary to obtain a suitable fit on wing prices in the table, followed by a recalculation to check table prices. Further, the parameters for the graph may be adjusted, including Min Strike, Max Strike, Min Vol and Max Vol. Selecting "Reset

Graph Scale” applies the new choices to the graph. Entries made on the Sheets screen may be saved by selecting the “Save Profile” button (publishing is not required in order to save).

5 To publish, the market maker may select a future price range for which to publish by entering future prices (tick format) in the High and Low fields (preferably keeping this range at 4 points or less to keep publishing times down). The market maker then selects either full (.01) or half tick (.005) increments. For Volatility Range, the market maker enters a High, Low and volatility Increment at which to publish, and chooses an increment of at least .05 and Volatility Range of at most 1%
10 for High and Low to avoid long publishing times. “High” represents the percentage that volatility will go up and “Low” represents the percentage that volatility will go down for this publishing period. The action is completed by clicking the “Publish” button. Data will be saved in a temporary table which can be made “Live” using the “Tweak” screen of Figure 4B. If there is any existing temp data, a pop-up box will
15 ask the user if this data should be overwritten. All data entry is saved as the profile “Last Published.”

The Tweak screen is depicted in Figure 4C, and is used to modify published “live” values (values that are being broadcasted to customers via Market Overview) without republishing. Once an option is published, Tweak contains temporary
20 (Temp) data that may be modified by changing volatilities; once these changes are made, they can be applied to live data.

Depending on hardware, software, and network conditions, subscriber requests for indicative prices are treated either as a query which results in a single set of indicative quotes to be sent to the subscriber (every second, for instance, or when the
25 underlying price moves), or as a request for continuous updates (i.e. ‘pushed’ by the market maker). For a request for continuous updates, the market maker station monitors the underlying price and other factors that determine the indicative quote and ‘pushes’ a new indicative quote to the subscriber when necessary.

When a subscriber requests a price, the database process preferably uses the
30 current futures price and market maker-specified volatility level to determine the current bid and ask for each market maker. The best price (highest bid and lowest offer) is then sent out to the subscriber. If two or more market makers are indicating the same price, the quantity is aggregated accordingly. The effect of this approach is

to provide the subscriber with tighter and deeper markets due to the aggregation of competitive quotes from multiple market makers.

In another embodiment, the market maker stations generate indicative quotes for structured futures products, such as those traded in the Chicago Mercantile Exchange's Eurodollar complex or the London Financial Futures Exchange's Euribor complex. These products are characterized by the trading of several futures grouped as a single transaction. These are known generically as strips, and the CME further defines them as packs and bundles. A pack, for example, is the simultaneous transfer of one contract each of four consecutive futures months. Bundles involve the transfer of one contract each of four, eight, 12, or 16 consecutive futures months. As with options, indicative quotes are generated by the market maker stations and transmitted to subscribers. Subscribers then request binding quotes, and send orders into the exchange to match against the market maker's responses to those requests.

Figure 4C shows the "Efuture" screen, which serves as an electronic eye to obtain Bid and Ask prices for any futures. It allows the user to set the spread value that determines the value of back-month futures used to determine options spreads. If necessary, this rule can be used to manually match the front-month future price. a/c/e Bid and Ask prices can be followed or alternative Bid and Ask prices may be used.

In one embodiment of the market maker station, the market overview screen, as shown in Figure 5A, displays both the best bid and ask (as would be displayed to the subscriber) as well as the market makers' own bid and ask. Color coding is preferably used to indicate whether the market maker's own bid (ask) is at or below (above) the best bid (ask). Figure 5B illustrates how this information is displayed on the Quote Entry window, used by the market maker to send binding quotes into the market.

In another embodiment, the market maker station is a gateway application connecting a market maker's internal network to the LD network. In this case, the functions of the market maker station are controlled by other applications running within the market maker's internal network. These applications may be trading front-ends or trading programs used to access the LD network. In this case, the LD market maker gateway provides a protocol for passing messages between the networks. These messages include receiving and responding to requests for indicative and binding quotes.

A network managing station has hardware and software to a directory of participants receiving and providing quotes. The network managing station consists of hardware (for instance, Windows-based servers) that runs application software that validates and coordinates the use of the LD network. Each subscriber and market
5 maker station connects to the network managing station for the purpose of logging in. When market makers connect, they provide a list of products that they are interested in quoting. When subscribers connect, they provide a list of products they are interested in trading. This list of products and participants is updated as users log in/out or change their product list. As this list changes, the network managing station
10 notifies the participants. This allows each participant to respond accordingly. In one embodiment, the network managing station is not directly involved in the requesting of binding quotes, or sending quotes and orders to Exchanges, but rather monitors this activity and maintains an audit trail for review purposes. Depending upon the rules and regulations of a specific Exchange, however, the network managing station may
15 serve as central matching utility, collecting orders and binding quotes from participants and transmitting matched trades to an Exchange for clearing.

An Exchange may be any listed Exchange or over-the-counter (OTC) entity that pluralities of LD participants agree is a suitable medium for transacting and clearing trades. An Exchange may have a central order book and regulations that
20 require all orders to be matched on a "price-time" priority basis, or it may allow block trades to be transmitted and cleared outside of the central order book. In certain cases, an "Exchange" may consist of only a price reporting agency and a clearing house.

Those skilled in these arts will recognize a variety of system architecture, interphase devices, communication links, data management system and enabling
25 software to carryout the invention. The network technology used for this invention may be Local Area (LAN), Wide Area (WAN), wireless, Internet or Intranet, or a combination of all these approaches. Message protocols may be based upon TCP/IP with additional functionality from Microsoft's Message Queue, but an XML-based
30 protocol provides maximum flexibility and is preferred. Front-ends may include custom software programmed in Microsoft Visual Basic, Microsoft C++, and Java. Alternately a browser-based version can be implemented in HTML for platform-independent use. The market maker station users Microsoft SQL Server 7.0, but is

portable to Oracle, Sybase, or SQL Server 2000. The above description is intended to illustrate the invention and not to limit it in spirit or scope

What is claimed is:

1. A computer network system for trading derivatives comprising:
 - (a) a network managing station;
 - (b) one or more market maker stations;
 - 5 (c) one or more subscriber stations;
 - (d) one or more Exchanges;wherein the network managing station connects market makers and subscribers for making real time indicative quotes, issuing requests for quotes, obtaining binding quotes and wherein the market makers and subscribers are in communication with an
- 10 Exchange for sending binding quotes and orders to the Exchange for clearing and confirming transactions.
2. The network system of claim 1 wherein the network managing station matches a binding quote and order and consummates a transaction at an Exchange.
3. A method for electronically trading derivatives comprising:
 - 15 (a) providing a computer network of electronic communication between market makers, subscribers, network managing station and at least one exchange;
 - (b) making queries to market maker(s) by subscribers by way of (a) regarding the:
 - 20 (1) valuation, and computation of such valuation, for derivatives contracts;
 - (2) valuation, and computation of such valuation, for buy, sell combinations of derivative contracts; and
 - (3) quantity of the bid and offer for (1) and (2) .
 - 25 (c) initiating by way of (a) an indication to trade by a subscriber to a market maker;
 - (d) receiving responses by a subscriber from a market maker to the indication to trade by way of (a);
 - (e) accepting a response to an indication to trade by a subscriber by way
 - 30 of (a) thereby agreeing that the acceptance of the response to the indication to trade will be forwarded to the exchange as a binding quote by a market maker.
 - (f) submitting a binding quote to the Exchange by way of (a);
 - (g) matching and clearing the orders and binding quotes at the Exchange;


- (h) confirming a trade to the subscriber and market maker by way of (a);
4. The method of claim 1 wherein the derivative is a commodity contract.
5. The method of claim 1 wherein the queries are made to a plurality of market makers.
- 5 6. The method of claim 3 where the binding quotes and orders are sent to the control station by way of (a) for matching and the network managing station sends the matched binding quote and order to the Exchange for clearance.
7. A method for electronically trading derivatives comprising:
- 10 (a) providing a computer network of electronic communication between market makers, subscribers, network managing station and at least one exchange;
- (b) submitting of a request for quote to an Exchange by way of (a) by the subscriber;
- (d) submitting a binding quote to the Exchange by the market maker;
- 15 (e) submitting an order by way of (a) to an Exchange by the subscriber;
- (f) matching and clearing the orders and binding quotes at the Exchange; and,
- (g) confirming a trade to the subscriber and market maker by way of (a);
8. A method for electronically trading derivatives comprising:
- 20 (a) providing a computer network of electronic communication between market makers, subscribers, network managing station and at least one exchange;
- (b) making queries to market maker(s) by subscribers by way of (a) regarding the:
- 25 (1) valuation, and computation of such valuation, for derivatives contracts;
- (2) valuation, and computation of such valuation, for buy, sell combinations of derivative contracts; and
- (3) quantity of the bid and offer for (1) and (2).
- 30 (c) initiating by way of (a) an indication to trade by a subscriber to a market maker;
- (d) receiving responses by a subscriber from a market maker to the indication to trade by way of (a);
- (e) submitting of a request for quote to an Exchange by way of (a) by the



subscriber;

- (f) submitting a binding quote to the Exchange by the market maker;
- (g) submitting an order by way of (a) to an Exchange;
- (h) matching and clearing the orders and binding quotes at the Exchange;
- and,
- (i) confirming a trade to the subscriber and market maker by way of (a).

5

FIGURE 1



**Figure 2A****Figure 2B**




Figure 3A




Figure 3B

SUBSCRIBER - RFQ - 02F N1 C 1045

RFQ

Symbol	CBT Bid	LD Bid	LD Ask	CBT Ask	Last	Change
02F N1 C 1045		0.03 600	4.58%	0.04 800	4.90%	

Buy Sel Buy/Sell

Qty: 100

Send Close

Figure 3C

Li SUBSCRIBER - Selling - OZF N1 C 1045

Buy Sell Order

Symbol	CBT Bid	LD Bid	LD Ask	CBT Ask	Last	Change
OZF N1 C 1045		0.03 800	4.58% 800	0.04 800	4.86%	

-100	-50	-25		-1	-2	-3
+100	+50	+25		+1	+2	+3

Qty: 100 Price: 0.03

Account: TEST2 - TEST2

Res: IOC CustAct: TEST2 Text: TEST2 DisMbr: D/C: C Act: 61 CTI: 1 Orig: 1 Exp: M

Sell Now Cancel

Figure 3D

Li SUBSCRIBER - Selling - OZB N1 C 1010 STRADDLE

Buy Sell Order

Symbol	CBT Bid	LD Bid	LD Ask	CBT Ask	Last	Change
OZB N1 C 1010 STRADDLE		1.35 250		1.37 250		

-100	-50	-25		-1	-2	-3
+100	+50	+25		+1	+2	+3

Qty: 100 Price: 1.35

Account: 1234 - 1234

Res: IOC CustAct: 1234 Text: 1234 DisMbr: CETC6 D/C: 0 Act: A1 CTI: 2 Orig: 2 Exp: E

Sell Now Cancel

Figure 3E




Figure 4A




Figure 4B

L: E-Future - PAT

Future	Calculate Bid	Calculate Ask	a/c/e Bid	a/c/e Ask
<input type="checkbox"/> E-Future: ZNZ1	105.210	105.210	106.315	107.000

Future	Spread Ticks	Calculate Bid	Calculate Ask	a/c/e Bid	a/c/e Ask
ZNU1	0.0	105.210	105.210	104.295	104.300

Refresh Bid and Ask

Figure 4C

Market Overview - Trader - PAT

File Tools Help

Real Time Market

Symbol Selection

Symbol	CBT Bid	Bid	LD Bid	LD Ask	Ask	CBT Ask	Last
QZB Z1 C 0900		16.55 200	16.55 600	16.59 600	16.59 200		
QZB Z1 C 0910		15.55 200	15.55 600	15.59 600	15.59 200		
QZB Z1 C 0920		14.55 200	14.55 600	14.59 600	14.59 200		
QZB Z1 C 0930		13.55 200	13.55 600	13.59 600	13.59 200		
QZB Z1 C 0940		12.55 200	12.55 600	12.59 600	12.59 200		
QZB Z1 C 0950		11.55 200	11.55 600	11.59 600	11.59 200		
QZB Z1 C 0960		10.55 200	10.55 600	10.59 600	10.59 200		
QZB Z1 C 0970		9.55 200	9.55 600	9.59 600	9.59 200		
QZB Z1 C 1010			5.56 200	5.59 600	5.59 200	5.56 100	
QZB Z1 C 1020			4.57 200	4.59 400	4.59 200		
QZB Z1 C 1030	3.61 125		3.61 225	3.61 425	3.61 225	3.62 225	
QZB Z1 C 1040			3.05 250	3.02 450	3.02 225	3.06 100	

Figure 5A

Quote - PAT - QZB Z1 C 0960

Symbol	CBT Bid	Bid	LD Bid	LD Ask	Ask	CBT Ask	Last
QZB Z1 C 0960		10.55 200	10.55 600	10.59 600	10.59 200		

☒ Bid
 ☐ Widen
 ☐ Tighten
 ☒ Ask

Price: 10.55 Up Down Price: 10.59 Qty: 600 Qty Increment: 50 100 250

Account: 97201 Res: LIMIT Cust Acct: 97201 Text:

ClgMbr: CETCH O/C: 0 CTI: 4 Orig: 1 Ex: M Act: AI

Send Cancel

Figure 5B

Quotes						
Symbol	CBT Bid	LD Bid	LD Ask	CBT	Last	Change
02B H1 P 0980		0.03 1000	9.38% 0.05 1000			

	Bid		Ask	
Narrow:	Qty: 1000	Price: 0.03	Qty: 1000	Price: 0.05
<input type="checkbox"/> Wide:	Qty: 1000	Price: 0.03	Qty: 1000	Price: 0.05

Res: Cust Acct: O/C: Act: CTI: Orig: Ext:

Figure 5C

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☒ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)